

Birds of BioBlitz! 2014 - Cheyenne, OK

Species	Comments
Canada Goose (<i>Branta canadensis</i>)	
Wood Duck (<i>Aix sponsa</i>)	
Gadwall (<i>Anas strepera</i>)	
American Wigeon (<i>Anas americana</i>)	
Blue-winged Teal (<i>Anas discors</i>)	
Northern Shoveler (<i>Anas clypeata</i>)	
Northern Pintail (<i>Anas acuta</i>)	
Green-winged Teal (<i>Anas crecca</i>)	
Ring-necked Duck (<i>Aythya collaris</i>)	
Lesser Scaup (<i>Aythya affinis</i>)	
Ruddy Duck (<i>Oxyura jamaicensis</i>)	
Northern Bobwhite (<i>Colinus virginianus</i>)	
Wild Turkey (<i>Meleagris gallopavo</i>)	
Pied-billed Grebe (<i>Podilymbus podiceps</i>)	
Eared Grebe (<i>Podiceps nigricollis</i>)	
Great Blue Heron (<i>Ardea herodias</i>)	
Green Heron (<i>Butorides virescens</i>)	
Turkey Vulture (<i>Cathartes aura</i>)	
Osprey (<i>Pandion haliaetus</i>)	
Cooper's Hawk (<i>Accipiter cooperii</i>)	
Red-tailed Hawk (<i>Buteo jamaicensis</i>)	
Virginia Rail (<i>Rallus limicola</i>)	
American Coot (<i>Fulica americana</i>)	
Killdeer (<i>Charadrius vociferus</i>)	
Spotted Sandpiper (<i>Actitis macularius</i>)	
Solitary Sandpiper (<i>Tringa solitaria</i>)	
Greater Yellowlegs (<i>Tringa melanoleuca</i>)	
Stilt Sandpiper (<i>Calidris himantopus</i>)	
Least Sandpiper (<i>Calidris minutilla</i>)	
Long-billed Dowitcher (<i>Limnodromus scolopaceus</i>)	
Rock Pigeon (Feral Pigeon) (<i>Columba livia</i> (Feral Pigeon))	
Eurasian Collared-Dove (<i>Streptopelia decaocto</i>)	
White-winged Dove (<i>Zenaida asiatica</i>)	
Mourning Dove (<i>Zenaida macroura</i>)	
Yellow-billed Cuckoo (<i>Coccyzus americanus</i>)	Reported by Bill Carroll during BioBlitz
Greater Roadrunner (<i>Geococcyx californianus</i>)	
Great Horned Owl (<i>Bubo virginianus</i>)	
Barred Owl (<i>Strix varia</i>)	At least one heard calling repeatedly at the Croton Creek campground shortly after sunset. Voice had distinctive guttural whine distinctive of the species.

At least one heard calling just West of Croton Creek campground. Call was faint, but had the cadence and peak notes of the typical 'Poor-will' calls that team leader heard in the region during the summer.

Common Poorwill (*Phalaenoptilus nuttallii*)
Belted Kingfisher (*Megasceryle alcyon*)
Red-headed Woodpecker (*Melanerpes erythrocephalus*)
Red-bellied Woodpecker (*Melanerpes carolinus*)
Downy Woodpecker (*Picoides pubescens*)
Hairy Woodpecker (*Picoides villosus*)
Northern Flicker (*Colaptes auratus*)
Northern Flicker (Red-shafted) (*Colaptes auratus* [cafer Group])
American Kestrel (*Falco sparverius*)
Eastern Phoebe (*Sayornis phoebe*)
Scissor-tailed Flycatcher (*Tyrannus forficatus*)
Blue Jay (*Cyanocitta cristata*)
American Crow (*Corvus brachyrhynchos*)
Chihuahuan Raven (*Corvus cryptoleucus*)
Horned Lark (*Eremophila alpestris*)
Northern Rough-winged Swallow (*Stelgidopteryx serripennis*)
Barn Swallow (*Hirundo rustica*)
Carolina Chickadee (*Poecile carolinensis*)
Tufted Titmouse (*Baeolophus bicolor*)
House Wren (*Troglodytes aedon*)
Carolina Wren (*Thryothorus ludovicianus*)
Bewick's Wren (*Thryomanes bewickii*)
Ruby-crowned Kinglet (*Regulus calendula*)
Eastern Bluebird (*Sialia sialis*)
American Robin (*Turdus migratorius*)
Brown Thrasher (*Toxostoma rufum*)
Northern Mockingbird (*Mimus polyglottos*)
European Starling (*Sturnus vulgaris*)
American Pipit (*Anthus rubescens*)
Orange-crowned Warbler (*Oreothlypis celata*)
Yellow-rumped Warbler (Myrtle) (*Setophaga coronata coronata*)

At least six seen around Skipout Lake. Yellow throats were clearly visible, along with yellow on wing, white eye ring, and black and white undertail. Also reported by Bill Carroll

Yellow-rumped Warbler (Audubon's) (*Setophaga coronata auduboni*)
Spotted Towhee (*Pipilo maculatus*)
Chipping Sparrow (*Spizella passerina*)
Clay-colored Sparrow (*Spizella pallida*)
Field Sparrow (*Spizella pusilla*)
Vesper Sparrow (*Pooecetes gramineus*)
Lark Sparrow (*Chondestes grammacus*)
Savannah Sparrow (*Passerculus sandwichensis*)

Song Sparrow (*Melospiza melodia*)
Lincoln's Sparrow (*Melospiza lincolnii*)

White-crowned Sparrow (*Zonotrichia leucophrys*)
Northern Cardinal (*Cardinalis cardinalis*)
Red-winged Blackbird (*Agelaius phoeniceus*)
Western/Eastern Meadowlark (*Sturnella neglecta/magna*)

Yellow-headed Blackbird (*Xanthocephalus xanthocephalus*)
Common Grackle (*Quiscalus quiscula*)
House Finch (*Haemorhous mexicanus*)
American Goldfinch (*Spinus tristis*)
House Sparrow (*Passer domesticus*)

Reported by participants of BioBlitz. Team leader believed to hear a WCSP call briefly from scrub around Croton Creek, but could not confirm visually or from any subsequent vocalization.

One reported from bird hikes during BioBlitz that were lead by Mark Howery.